



PATIENT INFORMATION

IMPORTANT: For use on skin only (topical use). When using this product, avoid unnecessary sun exposure and use a sunscreen. Avoid contact with hair, fabrics or carpeting as benzoyl peroxide will cause bleaching or discoloration. Contents under pressure. Do not puncture or incinerate container.

Read the Patient Information that comes with BenzE Foam™ Emollient Foam before you start using it and each time you get a refill. There may be new information. This leaflet does not take the place of speaking with your doctor about your medical condition or your treatment.

WHAT IS BENZEFOAM EMOLLIENT FOAM?

BenzE Foam™ Emollient Foam is a prescription medicine used on the skin (topical) to treat mild to moderate acne vulgaris. BenzE Foam™ Emollient Foam contains benzoyl peroxide.

WHO SHOULD NOT USE BENZEFOAM EMOLLIENT FOAM?

Do not use BenzE Foam™ Emollient Foam if you have shown hypersensitivity to benzoyl peroxide or to any of the other ingredients in the product.

WHAT SHOULD I TELL MY DOCTOR BEFORE USING BENZEFOAM EMOLLIENT FOAM?

Before using BenzE Foam™ Emollient Foam, tell your doctor about all of your medical conditions, including if you:

- have any allergies
- are pregnant or planning to become pregnant. It is not known if BenzE Foam™ Emollient foam will harm your unborn baby.
- are breastfeeding or plan to breast-feed. It is not known if BenzE Foam™ Emollient Foam passes into your breast milk.

Tell your doctor about all the medicines and skin products you use. Other skin and topical acne products may increase the irritation of your skin when used with BenzE Foam™ Emollient Foam. Know the medicines you take. Keep a list of them and show it to your doctor and pharmacist when you get a new medicine.

HOW SHOULD I USE BENZEFOAM EMOLLIENT FOAM?


- Use BenzE Foam™ Emollient Foam exactly as prescribed.
- Your doctor will tell you how long to use BenzE Foam™ Emollient Foam.
- Throw away (discard) any unused BenzE Foam™ Emollient Foam after its expiration date.

INSTRUCTIONS FOR APPLYING BENZEFOAM EMOLLIENT FOAM

- **Prime Can Before Initial Use:** Gently push up on actuator with thumb until tab breaks. Shake can vigorously (until product moves inside can). Firmly strike bottom of can onto palm of other hand or a hard surface at least 3 times. Holding can upright over sink, direct

initial spray to a non-skin surface. **DO NOT spray directly on the skin as the initial spray may expel cold, liquid propellant.** Press down on actuator for 1-3 seconds until foam begins to dispense. If foam does not dispense within 3 seconds, prime can again.

- **Before Each Use:** Shake can vigorously. Firmly strike bottom of can onto palm of other hand or a hard surface at least 3 times.
- **During Use:** BenzEfoam™ can be used as either a leave-on or short-contact application. Holding can upright, dispense BenzEfoam™ Emollient Foam into palm of hand and apply to affected area once daily, or as directed by a physician. For facial acne, use a dollop the size of a marble. For acne on either the back or chest, use a dollop the size of a whole walnut. Rub in until completely absorbed. Wipe off any excess foam from actuator after use. Wash hands with soap and water after applying BenzEfoam™. If going outside, apply sunscreen after using this product.
- **Caution: BENZEFOAM Emollient Foam may bleach hair or colored fabric.**



- **WILL NOT DISPENSE ENTIRE CONTENTS. CONTAINER IS OVERFILLED TO GUARANTEE DISPENSING AT LEAST THE LISTED AMOUNT.**

WHAT SHOULD I AVOID WHILE USING BENZEFOAM EMOLLIENT FOAM?

- Limit your time in sunlight. Avoid using tanning beds or sunlamps. If you have to be in sunlight, wear a wide-brimmed hat or other protective clothing, and a sunscreen with SPF 15 rating or higher. Your doctor can give you more information about why this is important.
- Do not wash the affected area more than 2 to 3 times a day. Washing or scrubbing your skin too often may make your acne worse.

WHAT ARE POSSIBLE SIDE EFFECTS WITH BENZEFOAM EMOLLIENT FOAM?

Side effects with BenzEfoam™ Emollient Foam include:

- **Skin irritation.** Stop using BenzEfoam™ Emollient Foam and call your doctor if you have a skin rash or your skin becomes very red, itchy or swollen. Talk to your doctor about any side effect that bothers you or that does not go away.

This is not the only possible side effect with BenzEfoam™ Emollient Foam. Call your doctor for medical advice about side effects. You may report side effects to Onset Therapeutics at 1-888-713-8154.

HOW SHOULD I STORE BENZEFOAM EMOLLIENT FOAM?

Store at room temperature: 59° - 77°F (15° - 25°C).

Do not expose to temperatures above 120°F (49°C).

Protect from freezing.

Store upright.

Keep BENZEFOAM Emollient Foam and all medicines out of the reach of children.

GENERAL INFORMATION ABOUT BENZEFOAM EMOLLIENT FOAM

Medicines are sometimes prescribed for conditions that are not mentioned in the Patient Information leaflets. Do not use BenzEfoam™ for a condition for which it was not prescribed. Do not give BenzEfoam™ Emollient Foam to other people, even if they have the same condition you have. This leaflet summarizes the most important information about BenzEfoam™ Emollient Foam. If you would like more information, talk with your doctor. You can also ask your doctor or pharmacist for information about BenzEfoam™ Emollient Foam that is written for healthcare professionals. For more information about BenzEfoam™ Emollient Foam, call 1-888-713-8154 or go to www.BenzEfoam.com.

WHAT ARE THE INGREDIENTS IN BENZEFOAM EMOLLIENT FOAM?

Active Ingredient: benzoyl peroxide 5.3%

Inactive Ingredients: BHT, C12-15 alkyl benzoate, cetearyl alcohol, citric acid, dimethicone, disodium EDTA, emulsifying wax, glycerin, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, steareth-10. Also contains: Propellant HFA-134A (1,1,1,2-tetrafluoroethane).

Manufactured in USA For:



Onset Therapeutics
Cumberland, RI 02864
www.onsettx.com
888-713-8154

PATENT PENDING

